



COLORS




White



Almond



Grey



Musk



Black

DECO

2" x 2" Mosaic




White



Almond



Grey



Musk



Black


12" x 24" Muretto



White Muretto



Almond Muretto



Grey Muretto




Musk Muretto



Black Muretto


12" x 24" Inciso




White Inciso




Almond Inciso



Grey Inciso




Musk Inciso



Black Inciso

12" x 24" Mix




Mix Cold




Mix Warm

CASTLESTONE


AVAILABLE SIZES




32" x 32"



24" x 24"



18" x 36"



12" x 24"

* Only Size available in Matte, Semi Polished and Anti Slip Finish

FINISH

- MATTE RECTIFIED
- SEMI POLISHED RECTIFIED
- ANTI SLIP RECTIFIED

THICKNESS

- 32" x 32" - 10.5mm
- 24" x 24" - 9.5mm
- 18" x 36" - 10.5mm | 20mm
- 12" x 24" - 9.5mm

TRIM

- 3" x 6" Bullnose
- 3" x 24" Bullnose
- 12" x 24" Stair Tread

INSTALLATION & MAINTENANCE

Recommended Grout Size - 1/8"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

TECHNICAL DATA



D.C.O.F. WET
≥ 0.49 (NAT)
≥ 0.52 (GRIP)
ANSI 137.1-2012

WATER ABSORPTION
≤ 0.5%
ISO 10545-3

CHEMICAL RESISTANCE
RESISTANT
ISO 10545-13

FROST RESISTANCE
RESISTANT
ISO 10545-12

BREAKING STRENGTH
≥ 35 N/mm ³
ISO 10545-4



