



ÉTOILE



COLORBODY PORCELAIN TILE

COLORS



Renoir




Crème



Gris



Tropical



Symphonie*
NOT Available in 48" X 110"









Illusion*
NOT Available in 48" X 111"

* Colors **NOT** available in 10mm Thickness or Sizes

All colors shown are available in Matte & Polished Finish | **Thickness: 6mm**








AVAILABLE SIZES Colors Available: Renoir, Crème, Gris, Tropical

THICKNESS: 10MM



AVAILABLE SIZES All Colors Available EXCEPT Tropical | 48" X 110" ONLY available in Renoir, Crème & Gris

THICKNESS: 6MM



FINISH

MATTE RECTIFIED
POLISHED RECTIFIED

THICKNESS

10mm | 6mm

TRIM

2" x 24" Bullnose Thickness 10mm
2" x 32" Bullnose Thickness 6mm
13" x 48" Stair Tread Thickness 10mm
Trim only available in Renoir, Gris, Crème & Tropical

INSTALLATION & MAINTENANCE

Recommended Grout Size - 1/8"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

TECHNICAL DATA



D.C.O.F.
WET (MATTE)
> 0.42
ANSI 137.1

WATER
ABSORPTION
< 0.5%
ISO 10545-3

CHEMICAL
RESISTANCE
GA-GLA-GLB
ISO 10545-13

FROST
RESISTANCE
RESISTANT
ISO 10545-12

BREAKING
STRENGTH
50 N/mm²
ISO 10545-4

ABRASION
RESISTANCE
CL. 4
ISO 10545-7

