

UNGLAZED MOSAICS




PORCELAIN WALL TILE

SOLIDS



BLENDS



PATTERNS




UNGLAZED MOSAICS

COLOR	UNGLAZED MOSAIC 1" X 1 & 2" X 2"	PENNY ROUNDS	UNGLAZED 1" HEX	UNGLAZED 2" HEX	TRIM
Ice White	●	●	●	●	●
Salt & Pepper	●	●			●
Biscuit	●	●	●	●	●
Biscuit Speckled	●		●		●
Almond	●	●	●	●	●
Willow	●	●		●	●
Willow Speckled	●			●	●
Uplifted	●				●
Buff Granite	●		●		●
Stable	●	●	●	●	●
Poise	●	●		●	●
Light Smoke	●	●	●	●	●
Light Smoke Speckled	●			●	●
Storm Gray	●	●	●	●	●
Storm Gray Speckled	●			●	●
Charcoal	●	●	●	●	●
Black	●	●	●	●	●
Restore	●	●	●		●
Fresh	●		●		●
Ocean Tide	●				●
Serenity	●	●	●		●
Sapphire Sky	●	●	●		●
Sapphire Sky Speckled	●				●
Discovery	●	●	●	●	●
Navy	●		●		●
Navy Speckled	●				●
Red	●				
Orange Fizz	●				
Lemon Drop	●				●
Key Lime	●				●
Peacock Blue	●	●	●		●
Wisdom	●		●		●
Passion	●		●		●
Grace	●		●		●

Various items within this line are **MADE TO ORDER** - Check with your rep for details.

AVAILABLE SIZES




2 x 2 Mosaic

2" x 2" Piece
(12" x 24" Sheet)




1 x 1 Mosaic

1" x 1" Piece
(12" x 24" Sheet)




2" Hexagon
Mosaic

2" x 2" Piece
(12" x 24" Sheet)




1" Hexagon Mosaic

1" x 1" Piece
(12" x 22-5/8" Sheet)




Penny Round
Solid Colors

1" x 1" Piece
(10" x 22" Sheet)




Penny Round
Retro Dot

1" x 1" Piece
(10" x 22" Sheet)




Penny Round
Rosette

1" x 1" Piece
(10" x 22" Sheet)



Penny Round
Diamond

1" x 1" Piece
(10" x 22" Sheet)



2 x 1 & 1 x 1
Windmill Mosaic

2" x 1" & 1" x 1" Piece
(12" x 24" Sheet)

FINISH

MATTE RECTIFIED

THICKNESS

6.3mm

TRIM



Bullnose



Bullnose



Bullnose Corner



Bullnose Corner



Cove Base



Cove Base



Cove Base Corner



Cove Base Corner



Cove Base Corner



Cove Base Corner



Outcorner



Universal Trim



Universal Trim



Universal Trim



Universal Trim

INSTALLATION & MAINTENANCE

Recommended Grout Size - 1/8"

For regular cleaning, use a neutral liquid detergent with a soft sponge or microfiber cloth. Persistent stains can be removed with a slightly abrasive sponge; if necessary, use a specially formulated stain remover.

TECHNICAL DATA



D.C.O.F.
WET

≥ 0.42

ANSI A326.3

WATER
ABSORPTION

< 0.5%

ASTM C373

CHEMICAL
RESISTANCE

RESISTANT

ASTM C650

BREAKING
STRENGTH

> 300 lbs

ASTM C648

SCRATCH
HARDNESS

7.0 - 8.0

MOHS